



KERALA GAZETTE

കേരള ഗസറ്റ്

PUBLISHED BY AUTHORITY

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

Vol. LV

THIRUVANANTHAPURAM, TUESDAY

8th June 2010

2010 ജൂൺ 8

No.

വാല്യം 55

തിരുവനന്തപുരം, ചൊവ്വ

18th Jyaishta 1932

1932 ജ്യേഷ്ഠം 18

നമ്പർ

23

PART III

Stores Purchase

Technical Education Department

SHORT TENDER NOTICE

[No. P1/1/2010-11]

No. P1/1380/2010/A-&I.

12th May 2010.

Sealed tenders are invited for the supply of equipments for Instrumentation Lab of Applied Electronics & Instrumentation Engineering Department of Government Engineering College, Kozhikode-673 005.

The tenders should be superscribed as Tender No. P1-1/2010-11 due on 15-6-2010 at 3 p.m. and addressed to the undersigned to reach him before 15-6-2010 at 3 p.m. Late tenders will not be accepted. The tenders will be opened at 11 a.m. on 16-6-2010 in the presence of such of the tenderers or their authorised representatives who may be present at that time.

Intending tenderers, may on application to the undersigned to obtain the requisite tender forms on which tenders should be submitted. Application for the tender forms should be accompanied by a cash remittance of Rs. 4/6 including VAT which is the price fixed for the same and which is non-refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 2 p.m. on 14-6-2010. Drafts, Cheques, Postage Stamps etc. will not be accepted towards the cost of forms, nor will the form be sent per V.P.P. Duplicate tender forms, if required will be issued at Rs. 208 including VAT per copy.

As per tender condition the tenderer should send along with his tender an agreement executed and signed in Kerala Stamp Paper of value Rs. 50 and an E.M.D. of 1% of the total cost of the articles tendered. Tenders without agreement and E.M.D. will be rejected. Those who want the tender form by post should send Rs. 4/66 including VAT by Money Order to the undersigned. Outside firms who desire to get Kerala Stamp Paper should send an additional amount of Rs. 60 along with the cost of tender forms.

കോഴിക്കോട് ഗവൺമെന്റ് എഞ്ചിനീയറിംഗ് കോളേജിന്റെ അനുബന്ധ ഇലക്ട്രോണിക്സ് & ഇൻസ്ട്രുമെന്റേഷൻ എഞ്ചിനീയറിംഗ് വിഭാഗത്തിലെ ഇൻസ്ട്രുമെന്റേഷൻ ലാബിലേക്ക് ആവശ്യമായ ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിനുമുമ്പായി ചുവേല ചോലാസൂത്രം ക്ഷണിച്ചുകൊള്ളുന്നു.

ഭോലാസ് സമർപ്പിക്കുന്ന കവറിന് മുകളിൽ ഭോലാസ് നമ്പർ പി.1/1/2010-11 തീയതി 15-6-2010 ഈ രേഖപ്പെടുത്തി അപ്പോളിട്ട് ഉദ്യോഗസ്ഥന് 15-6-2010-ന് 3 മണിക്ക് മുൻ സമർപ്പിക്കേണ്ടതാണ്. അനുബന്ധ കീഴ്ന്ന ഭോലാസ്കൾ പരിഗണിക്കുന്നതല്ല. ഭോലാസ്കൾ 16-6-2010-ന് രാവിലെ 11 മണിക്ക് ഭോലാസ്കൾ സമർപ്പിച്ച ആളുകളുടെ സാന്നിധ്യത്തിൽ ആധികാരികരായി തുറക്കുന്നതാണ്.

ഭോലാസ്കൾ ആവശ്യപ്പെട്ടവർ 416 രൂപ (നികുതി ഉൾപ്പെടെ) വില നൽകി ഭോലാസ് ഫോറങ്ങൾ വാങ്ങേണ്ടതാണ്. 14-6-2010-ന് ഉച്ചയ്ക്ക് 2 മണിവരെ ഭോലാസ് ഫോറങ്ങൾ വാങ്ങാവുന്നതാണ്. ഭോലാസ് ഫോറങ്ങൾ യാതൊരു കാരണവശാലും മെക്കേററം ചെയ്യുവാൻ പാടുള്ളതല്ല. ചെക്ക്, (ഡ്രഫ്റ്റ്), പേസറോസ് സ്റ്റാമ്പ് അടങ്ങിയ സ്വീകരിക്കുന്നതല്ല. വി.പി.പി. ആയി ഭോലാസ് ഫോറങ്ങൾ അയയ്ക്കുന്നതല്ല. ഡ്യൂട്ടിപ്പിക്കേറ്റ് ഫോറങ്ങൾ ആവശ്യപ്പെട്ടവർ ഒരു പ്രതിക്ക് 208 രൂപ (നികുതി ഉൾപ്പെടെ) കൂടി അയയ്ക്കേണ്ടതാണ്.

ഭോലാസ് നിയമനുകൂൽപ്പ ഭോലാസ് സമർപ്പിക്കുന്നവർ ഭോലാനിരോധം 50 രൂപ വിലയുള്ള കേരള മുദ്രപ്രകാശിത സമ്മതപത്രവും, 1% നിരതദ്രവ്യം ബന്ധിപ്പിക്കേണ്ടതാണ്. സമ്മതപത്രവും നിരതദ്രവ്യവും കൂടാതെ ഭോലാസ്കൾ സ്വീകരിക്കുന്നതല്ല. ഭോലാസ്കൾ തപാൽവഴി ആവശ്യപ്പെട്ടവർ അസ്സലിന് 406 രൂപ മണിയോടൊപ്പം (പ്രിൻസിപ്പാൾ, ഗവൺമെൻ്റ് എഞ്ചിനീയറിംഗ് കോളേജ്, വേസറോട് വെൽ പി.ഒ., കോഴിക്കോട് -673 005 എന്ന പേരിൽ അയയ്ക്കേണ്ടതാണ്. കേരളത്തിന് പുറത്തുള്ള കമ്പനിക്കാർക്കു കേരള മുദ്രപ്രകാശിത ആവശ്യമാണെങ്കിൽ ഭോലാസ് ഫോറത്തിന്റെ വിലയോടൊപ്പം 75 രൂപ കൂടി അധികമായി അയയ്ക്കേണ്ടതാണ്.

LIST OF ITEMS

Sl. No.	Name of Items with Specification
1	Thermocouple Set-up with following features One Thermocouple-J type Signal conditioner with 0-5V output Cold junction compensation facility Built in power supply Digital indicator for displaying temperature heating by water both
2	Set-up for measuring Viscosity using SAYBOLT VISCOMETER with following add-ons Thermometer Stop watch Flask
3	Dead Weight Pressure Gauge Tester Consisting of dead weight Pressure gauge tester, pressure gauges and weights to calibrate the pressure gauges. minimum capacity 20kg/sq.cm accuracy of minimum 0.5% FSD set of weights (suitable for above-mentioned range) four different range of pressure gauges (within the capacity of the tester) also to be provided to crosscheck the pressure range

Govt. Engineering College,
Kozhikode.

(Sd.)
Principal.

SHORT TENDER NOTICE

No.DI/1119/2010.

13th May 2010.

Scaled tenders are invited for the supply of the equipment for Electrical Engineering Lab of Government Engineering College, Wayanad, Mananthavady.

The tenders should be superscribed the tender No. DI/1119/10 due on 6-7-2010 at 2 p.m. and addressed to the Principal, Government Engineering College, Wayanad. Late tenders will not be accepted. The tenders will be opened at 3 p.m. on 6-7-2010 in the presence of such of the tenderers or their authorised representatives who may be present at that time.

Intending tenderers may on application to the Principal, Govt. Engineering College, Wayanad obtain the requisite tender forms in which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of Rs. 1,200 which is the price fixed for a form/set of forms and which is not refundable under any

circumstanen. Those who need the tender form by post should send M. O. Rs. 1,230 to the Principal, Govt. Engineering College, Wayanad. The tender forms are not transferable. Sale of tender form will be closed at 3 p.m. on 5-7-2010. DD/ Cheque/ Postage stamps etc. will not be accepted towards the cost of the tender forms nor will forms be sent by V.P.P. Duplicate tender forms, if required will be issued at Rs. 600.

വായനക്ക് ഗവൺമെൻ്റ് എഞ്ചിനീയറിംഗ് കോളേജിലെ ഇലക്ട്രിക്കൽ ലാബിലേക്ക് അപ്പോളാതുന്ന ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിന് മുമ്പ്രവച്ച ഭോലാസ്കൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ഭോലാസ്കൾ പ്രിൻസിപ്പാൾ, ഗവൺമെൻ്റ് എഞ്ചിനീയറിംഗ് കോളേജ്, വായനാട്, മനത്ത്വാടി എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതും കവറിന് പുറത്ത് "ഭോലാസ് നമ്പർ ഡി/1119/10" എന്നു രേഖപ്പെടുത്തേണ്ടതുംകൊണ്ടു.

ഭോലാസ് ഫോറം ആവശ്യപ്പെട്ടവർക്ക് ഗവൺമെൻ്റ് എഞ്ചിനീയറിംഗ് കോളേജ് ഓഫീസിൽനിന്നും നേരിട്ട് 1,200 രൂപയ്ക്കും തപാലിൽ വേണ്ടവർക്ക് 1,230 രൂപയ്ക്കും ലഭിക്കുന്നതാണ്. ഭോലാസ്കൾ ലഭിക്കേണ്ട

LIST OF ITEMS		
Sl. No.	Item and Specification	Quantity required
(1)	(2)	(3)

1	3-phase variable chokeload :	
	3-ph. 440 V. 10 A per phase. 3 limb plunger type inductive variable load working on air gap separation principle. Good quality terminals (six) for both star and delta connections	1
2	1-phase autotransformer ; Continuously variable auto transformer 0-270V. 20A	3
3	3-phase auto transformer : Continuously variable auto transformer. 0-470V. 10A	2
4	1 phase transformer 2 kVA. 240/120 V. 50 Hz. with 50% and 86.6% tapping	2
5	Digital Multimeter ; DC : 200mV-1000V. 200 micro Amp-20Amp. AC : 200m V-750V. 200 micro Amp-20Amp ; Resistance-1 Ohm-200 M ohms ; Amp ; and continuity check. 3,1/2LCD display	3
6	Volt ratio box ; Input-1.5/15.30.150.300V ; output 1.5V. educational type for lab use with TS1 features	1
7	Rheostat ; Wire wound, laboratory type, completely insulated from body to work on ac and dc supply. 20A. 20 ohms	5
8	Rheostat ; Wire wound, laboratory type. completely insulated from body to body to work on ac and dc supply. 15A. 20 ohms	5
9	Rheostat ; Wire wound, laboratory type. completely insulated from body to body to work on ac and dc supply. 10A. 50 ohms	5

(1)	(2)	(3)
10	Rheostat: Wire wound, laboratory type, completely insulated from body to body to work on ac and dc supply. 5A. 100 ohms	5
11	Flux meter: Analog, educational type with standard solenoid search coil and all standard accessories	1
12	LCR meter: Digital type with IS standards: Resistance: 20 ohm-20 Mega ohms. Inductance: 200 micro- 200 Henry. Capacitance: 200 pico-2000 micro. Digital type with IS standards	1
13	Dual trace Oscilloscope: 30 MHz general purpose	2
14	Inductance box. 4 dial 100 microH-1.11 H	2
15	Capacitance box 4dial. 10micro F-0.1F	2
16	10 MHz Function generator. Max: 20Vpp with attenuation switches, and frequency selectors and sine, triangular, square, pulse signal selectors	2
17	Ammeter: 0-2.5/3 A. moving Coil educational type	5
18	Ammeter: 0-15/30A moving Coil type. educational type	5
19	Ammeter: 0-2.5/5A moving iron. educational type	5
20	Ammeter: 0-15/30A moving iron type. educational type	5
21	Voltmeter: 0-15/30V. moving Coil educational type	5
22	Voltmeter: 0-300/600V moving Coil type. educational type	5
23	Voltmeter: 0-75/150V. moving iron type. educational type	5
24	Voltmeter: 0-300/600V moving iron type. educational type	5
25	5kVA online UPS and battery	1

(Sd.)
Principal.